ì

## **EUROPEAN PATENT OFFICE**

## Pat nt Abstracts of Japan

PUBLICATION NUMBER : 08277320 PUBLICATION DATE : 22-10-96

APPLICATION DATE : 05-04-95 APPLICATION NUMBER : 07104876 CO [A] ns-OCHs -Yz

CO [A] "1-0CH2 -Y,

APPLICANT: DAICEL CHEM IND LTD:

INVENTOR: OSAGAWA ICHIRO;

INT.CL. : C08G 59/18 C08G 59/34

TITLE : PHOTOCURABLE RESIN

COMPOSITION

$$R^{11}$$
 $R^{12}$ 
 $R^{13}$ 
 $R^{14}$ 
 $R^{15}$ 
 $R^{16}$ 
 $R^{16}$ 
 $R^{16}$ 

ABSTRACT :

PURPOSE: To obtain a photocurable resin composition containing an epoxidized polybutadiene resin, an epoxy resin and a photopolymerization initiator in specific amounts as essential components, capable of being used in a solvent-free system, mild for environment, capable of forming coating films excellent in flexibility and adhesivity by the irradiation of radiations, and useful for coatings, etc.

CONSTITUTION: This photocurable resin composition contains (A) 99.9-0.1 pts.wt. of an epoxidized polybutadiene resin, (B) 0.1-99.9 pts.wt. of an epoxy resin having alicyclic epoxy groups, such as a compound of formula I [R is a (alicyclic epoxy group-containing) 1-30C hydrocarbon group; A is a group of formula; -O (CR<sub>1</sub>R<sub>2</sub>)<sub>a</sub> -CO- (R<sub>1</sub>, R<sub>2</sub> are H, a 1-9C alkyl; a is 4-8); Y is a group of formula II (R<sup>1</sup>-R<sup>19</sup> are R<sub>1</sub>); m≥1; when m is 1, R is an alicylic epoxy group-containing 1-30C hydrocarbon group;

m≥1; when m is 1, R is an alicylic epoxy group-containing 1-30C hydrocarbon group; nm≥0], and (C) 0.1-20 pts.wt. of a photopolymerization initiator as essential components. Therein, the total amount of the components A and B is 100 pts.wt..

COPYRIGHT: (C)1996,JPO